

BASIC STATISTICS: WATER SOURCE

WATER SOURCE	Gamagara					Ga-Segonyana										Moshaweng											NCDMACB1		K GALAGADI	
	Ward 1	Ward 2	Ward 3	Ward 4	Total	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Total	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Ward 10	Ward 11	Total	Ward 0		Total
Piped water: distance >200m from dwelling	38	22	74	4	138	88	953	234	927	22	2462	642	673	607	6608	818	378	658	965	787	446	148	472	328	307	323	5630	106	106	12482
Piped water: distance <200m from dwelling	82	28	231	3	344	27	124	2	791	9	1730	760	483	470	4396	501	1205	640	1299	246	297	0	266	333	520	401	5708	113	113	10561
Piped water inside dwelling	218	926	1144	1279	3567	1084	859	169	21	189	48	14	66	20	2470	12	43	3	36	2	8	4	18	7	24	26	183	1140	1140	7360
Piped water inside yard	465	465	102	23	1055	465	288	231	114	508	312	236	383	143	2680	78	139	29	118	12	50	3	66	135	117	196	943	1079	1079	5757
Borehole	0	0	4	0	4	10	46	0	162	2	195	205	43	28	691	43	36	20	505	1	83	1	408	600	392	237	2326	27	27	3048
Dam/pool/ stagnant water	0	0	2	0	2	0	8	0	15	0	3	53	0	0	79	58	140	199	178	0	26	138	137	185	189	66	1316	13	13	1410
Other	27	2	6	0	35	0	4	5	40	2	91	392	120	104	758	19	2	25	100	36	39	0	41	24	5	90	381	1	1	1175
River/stream	0	0	0	0	0	2	0	2	3	0	7	21	14	2	51	0	2	37	295	0	187	0	414	65	9	1	1010	14	14	1075
Spring	0	0	0	0	0	0	0	0	0	0	2	0	0	0	2	31	9	31	108	0	81	0	263	74	66	9	672	0	0	674
Water vendor	0	0	0	0	0	0	0	0	0	0	1	13	8	1	23	105	0	0	24	0	11	0	4	5	5	6	160	0	0	183
Rain-water tank	0	0	0	0	0	0	1	0	0	0	5	33	0	0	39	0	0	4	8	0	5	0	1	23	3	3	47	3	3	89
Not applicable (homeless)	0	1	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
TOTAL	830	1444	1563	1309	5146	1677	2283	643	2073	732	4856	2369	1790	1375	17798	1665	1954	1646	3636	1084	1233	294	2090	1779	1637	1358	18376	2496	2496	43816

WATER SOURCE	Gamagara				
	Ward 1	Ward 2	Ward 3	Ward 4	Total
Piped water inside dwelling	218	926	1144	1279	3567
Piped water inside yard	465	465	102	23	1055
Piped water: distance <200m from dwelling	82	28	231	3	344
Piped water: distance >200m from dwelling	38	22	74	4	138
Other	27	2	6	0	35
Borehole	0	0	4	0	4
Dam/pool/ stagnant water	0	0	2	0	2
Not applicable (homeless)	0	1	0	0	1
TOTAL	830	1444	1563	1309	5146

WATER SOURCE	Ga-Segonyana									
	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Total
Piped water: distance >200m from dwelling	88	953	234	927	22	2462	642	673	607	6608
Piped water: distance <200m from dwelling	27	124	2	791	9	1730	760	483	470	4396
Piped water inside yard	465	288	231	114	508	312	236	383	143	2680
Piped water inside dwelling	1084	859	169	21	189	48	14	66	20	2470
Other	0	4	5	40	2	91	392	120	104	758
Borehole	10	46	0	162	2	195	205	43	28	691
Dam/pool/ stagnant water	0	8	0	15	0	3	53	0	0	79
River/stream	2	0	2	3	0	7	21	14	2	51
Rain-water tank	0	1	0	0	0	5	33	0	0	39
Water vendor	0	0	0	0	0	1	13	8	1	23
Spring	0	0	0	0	0	2	0	0	0	2
Not applicable (homeless)	1	0	0	0	0	0	0	0	0	1
TOTAL	1677	2283	643	2073	732	4856	2369	1790	1375	17798

WATER SOURCE	Moshaweng											Total
	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Ward 10	Ward 11	
Piped water: distance <200m from dwelling	501	1205	640	1299	246	297	0	266	333	520	401	5708
Piped water: distance >200m from dwelling	818	378	658	965	787	446	148	472	328	307	323	5630
Borehole	43	36	20	505	1	83	1	408	600	392	237	2326
Dam/pool/stagnant water	58	140	199	178	0	26	138	137	185	189	66	1316
River/stream	0	2	37	295	0	187	0	414	65	9	1	1010
Piped water inside yard	78	139	29	118	12	50	3	66	135	117	196	943
Spring	31	9	31	108	0	81	0	263	74	66	9	672
Other	19	2	25	100	36	39	0	41	24	5	90	381
Piped water inside dwelling	12	43	3	36	2	8	4	18	7	24	26	183
Water vendor	105	0	0	24	0	11	0	4	5	5	6	160
Rain-water tank	0	0	4	8	0	5	0	1	23	3	3	47
Not applicable (homeless)	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL	1665	1954	1646	3636	1084	1233	294	2090	1779	1637	1358	18376

WATER SOURCE	NCDMACB1	
	Ward 0	Total
Piped water inside dwelling	1140	1140
Piped water inside yard	1079	1079
Piped water: distance <200m from dwelling	113	113
Piped water: distance >200m from dwelling	106	106
Borehole	27	27
River/stream	14	14
Dam/pool/stagnant water	13	13
Rain-water tank	3	3
Other	1	1
TOTAL	2496	2496

PERCENTAGES

WATER SOURCE	Gamagara				Ga-Segonyana									Moshaweng											NCDMACB1		K GALAGADI			
	Ward 1	Ward 2	Ward 3	Ward 4	Total	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Total	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Ward 10	Ward 11		Total	Ward 0	Total
Piped water: distance >200m from dwelling	4.58	1.52	4.73	0.31	2.68	5.25	41.74	36.39	44.72	3.01	50.70	27.10	37.60	44.15	37.13	49.13	19.34	39.98	26.54	72.60	36.17	50.34	22.58	18.44	18.75	23.78	30.64	4.25	4.25	28.49
Piped water: distance <200m from dwelling	9.88	1.94	14.78	0.23	6.68	1.61	5.43	0.31	38.16	1.23	35.63	32.08	26.98	34.18	24.70	30.09	61.67	38.88	35.73	22.69	24.09	0.00	12.73	18.72	31.77	29.53	31.06	4.53	4.53	24.10
Piped water inside dwelling	26.27	64.13	73.19	97.71	69.32	64.64	37.63	26.28	1.01	25.82	0.99	0.59	3.69	1.45	13.88	0.72	2.20	0.18	0.99	0.18	0.65	1.36	0.86	0.39	1.47	1.91	1.00	45.67	45.67	16.80
Piped water inside yard	56.02	32.20	6.53	1.76	20.50	27.73	12.61	35.93	5.50	69.40	6.43	9.96	21.40	10.40	15.06	4.68	7.11	1.76	3.25	1.11	4.06	1.02	3.16	7.59	7.15	14.43	5.13	43.23	43.23	13.14
Borehole	0.00	0.00	0.26	0.00	0.08	0.60	2.01	0.00	7.81	0.27	4.02	8.65	2.40	2.04	3.88	2.58	1.84	1.22	13.89	0.09	6.73	0.34	19.52	33.73	23.95	17.45	12.66	1.08	1.08	6.96
Dam/pool/stagnant water	0.00	0.00	0.13	0.00	0.04	0.00	0.35	0.00	0.72	0.00	0.06	2.24	0.00	0.00	0.44	3.48	7.16	12.09	4.90	0.00	2.11	46.94	6.56	10.40	11.55	4.86	7.16	0.52	0.52	3.22
Other	3.25	0.14	0.38	0.00	0.68	0.00	0.18	0.78	1.93	0.27	1.87	16.55	6.70	7.56	4.26	1.14	0.10	1.52	2.75	3.32	3.16	0.00	1.96	1.35	0.31	6.63	2.07	0.04	0.04	2.68
River/stream	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.31	0.14	0.00	0.14	0.89	0.78	0.15	0.29	0.00	0.10	2.25	8.11	0.00	15.17	0.00	19.81	3.65	0.55	0.07	5.50	0.56	0.56	2.45
Spring	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.01	1.86	0.46	1.88	2.97	0.00	6.57	0.00	12.58	4.16	4.03	0.66	3.66	0.00	0.00	1.54
Water vendor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.55	0.45	0.07	0.13	6.31	0.00	0.00	0.66	0.00	0.89	0.00	0.19	0.28	0.31	0.44	0.87	0.00	0.00	0.42
Rain-water tank	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.10	1.39	0.00	0.00	0.22	0.00	0.00	0.24	0.22	0.00	0.41	0.00	0.05	1.29	0.18	0.22	0.26	0.12	0.12	0.20
Not applicable (homeless)	0.00	0.07	0.00	0.00	0.02	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100

WATER SOURCE	Gamagara				
	Ward 1	Ward 2	Ward 3	Ward 4	Total
Piped water inside dwelling	26.27	64.13	73.19	97.71	69.32
Piped water inside yard	56.02	32.20	6.53	1.76	20.50
Piped water: distance <200m from dwelling	9.88	1.94	14.78	0.23	6.68
Piped water: distance >200m from dwelling	4.58	1.52	4.73	0.31	2.68
Other	3.25	0.14	0.38	0.00	0.68
Borehole	0.00	0.00	0.26	0.00	0.08
Dam/pool/stagnant water	0.00	0.00	0.13	0.00	0.04
Not applicable (homeless)	0.00	0.07	0.00	0.00	0.02
TOTAL	100	100	100	100	100

WATER SOURCE	Ga-Segonyana									
	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Total
Piped water: distance >200m from dwelling	5.25	41.74	36.39	44.72	3.01	50.70	27.10	37.60	44.15	37.13
Piped water: distance <200m from dwelling	1.61	5.43	0.31	38.16	1.23	35.63	32.08	26.98	34.18	24.70
Piped water inside yard	27.73	12.61	35.93	5.50	69.40	6.43	9.96	21.40	10.40	15.06
Piped water inside dwelling	64.64	37.63	26.28	1.01	25.82	0.99	0.59	3.69	1.45	13.88
Other	0.00	0.18	0.78	1.93	0.27	1.87	16.55	6.70	7.56	4.26
Borehole	0.60	2.01	0.00	7.81	0.27	4.02	8.65	2.40	2.04	3.88
Dam/pool/stagnant water	0.00	0.35	0.00	0.72	0.00	0.06	2.24	0.00	0.00	0.44
River/stream	0.12	0.00	0.31	0.14	0.00	0.14	0.89	0.78	0.15	0.29
Rain-water tank	0.00	0.04	0.00	0.00	0.00	0.10	1.39	0.00	0.00	0.22
Water vendor	0.00	0.00	0.00	0.00	0.00	0.02	0.55	0.45	0.07	0.13
Spring	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.01
Not applicable (homeless)	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
TOTAL	100	100	100	100	100	100	100	100	100	100

WATER SOURCE	Moshaweng											
	Ward 1	Ward 2	Ward 3	Ward 4	Ward 5	Ward 6	Ward 7	Ward 8	Ward 9	Ward 10	Ward 11	Total
Piped water: distance <200m from dwelling	30.09	61.67	38.88	35.73	22.69	24.09	0.00	12.73	18.72	31.77	29.53	31.06
Piped water: distance >200m from dwelling	49.13	19.34	39.98	26.54	72.60	36.17	50.34	22.58	18.44	18.75	23.78	30.64
Borehole	2.58	1.84	1.22	13.89	0.09	6.73	0.34	19.52	33.73	23.95	17.45	12.66
Dam/pool/stagnant water	3.48	7.16	12.09	4.90	0.00	2.11	46.94	6.56	10.40	11.55	4.86	7.16
River/stream	0.00	0.10	2.25	8.11	0.00	15.17	0.00	19.81	3.65	0.55	0.07	5.50
Piped water inside yard	4.68	7.11	1.76	3.25	1.11	4.06	1.02	3.16	7.59	7.15	14.43	5.13
Spring	1.86	0.46	1.88	2.97	0.00	6.57	0.00	12.58	4.16	4.03	0.66	3.66
Other	1.14	0.10	1.52	2.75	3.32	3.16	0.00	1.96	1.35	0.31	6.63	2.07
Piped water inside dwelling	0.72	2.20	0.18	0.99	0.18	0.65	1.36	0.86	0.39	1.47	1.91	1.00
Water vendor	6.31	0.00	0.00	0.66	0.00	0.89	0.00	0.19	0.28	0.31	0.44	0.87
Rain-water tank	0.00	0.00	0.24	0.22	0.00	0.41	0.00	0.05	1.29	0.18	0.22	0.26
Not applicable (homeless)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL	100	100	100	100	100	100	100	100	100	100	100	100

WATER SOURCE	NCDMACB1	
	Ward 0	Total
Piped water inside dwelling	45.67	45.67
Piped water inside yard	43.23	43.23
Piped water: distance <200m from dwelling	4.53	4.53
Piped water: distance >200m from dwelling	4.25	4.25
Borehole	1.08	1.08
River/stream	0.56	0.56
Dam/pool/stagnant water	0.52	0.52
Rain-water tank	0.12	0.12
Other	0.04	0.04
TOTAL	100	100